

7 SPARE PARTS LIST

Part #	Name
041002	Sample Port – Plastic
041-0125	0.5" True Union Ball Valve - Plastic
041531806	0.75" True Union Ball Valve - Plastic
041-0133	1.0" True Union Ball Valve – Plastic
044-0109	0.75" NPT Stainless Steel Ball Valve*
044-0110	1.0" NPT Stainless Steel Ball Valve*
044-0113	1.5" NPT Stainless Steel Ball Valve*
42-0048	Sample Port – Stainless Steel*
43530710	Pressure Gauge, 0-100PSI
43-0031	Pressure Gauge, 0-100 PSI*
21SPH-12-222	Filter Housing, 2.5 X 12" – Plastic
21540116	Filter Housing, 2.5 X 20" – Plastic
21720548	Filter Housing Wrench for Plastic Sumps
21-0022	Housing, 2.5 X 20", Stainless Steel*
21-0042	Housing, Multi-Cartridge, (4) 20 Filters*
21530235	O-ring,Fltr,Hous,#10, # 12 & #20 "standard" & #10 & #20 "3g",blue/blk,.75 i/o
010-0113	O-ring, For Shelco Fltr House 21-0022, Heat Systems, Endotoxin
021-0015	O-RING,FLTR,HSG,FOR 21-0042
021-0016	O-RING,FLTR,HSG,FOR 021-0014
21-0021	Filter, Wrench, Housing 21-0022, ss, rod, heat systems

NOTE: Only parts with * in their description are suitable for use with heat disinfection systems.

8 CONSUMABLE PARTS LIST

SPECIFICATIONS

Model	Connection	For Housing	Maximum Flow (GPM)
20-3045	222 O-Ring	12"	5
20-3046	222 O-Ring	20"	10

The Pall cartridges, offered exclusively from AmeriWater, incorporate a patented covalent charge modified highly asymmetric hydrophilic polysulfone membrane, which provides retention of fine particles smaller than the membranes 0.2 micron rating.

FEATURES:

- Materials of Construction: Polypropylene, Polysulfone.
- Hydrophilic media requires no pre-wetting.
- Extended life – cleanable, compatible with disinfection by PAA or heat.
- Patented highly asymmetric membrane provides higher flow rates at lower pressure drops (5 GPM at 2.4 PSI ΔP per 10" length).
- Three times the endotoxin retention of comparable products on the market.
- QUALITY ASSURED: Validated for use in dialysis water systems.
- FDA clearance under AmeriWater 510K for Water Purification Systems.